

AUTHOR INDEX

- Agyei-Aye, K. 207
Asano, N. 235
- Bajza, I. 111
Baker, D.C. 207, 225
Blazis, V.J. 207, 225
Bock, K. 51
Bols, M. 195
Broda, P. 265
Browder, I.W. 293
- Černý, M. 19
Chang, Y.-T. 13
Chung, S.-K. 13
Copa-Patiño, J.L. 265
- Das, S.K. 301
Defaye, J. 185
Duus, J.Ø. 51
- Eckhardt, E. 167
Ensley, H.E. 293
- Galbis, J.A. 307
Gentile, L.N. 207
Ghosh, R. 301
Grimmecke, H.D. 277, 283
Grubbe, H. 195
Guillot, J.-M. 185
- Hajkó, J. 111
Hawkins, E.S. 207, 225
Hebblar, A.K. 207
Hendrix, D.L. 329
Herzog, H. 167
Hoyer, F. 141
- Ikegami, M. 29
- Jann, B. 323
Jann, K. 323
Jansson, P.-E. 317
Jespersen, T.M. 195
Jeżowska-Bojczuk, M. 19
- Johansson, A. 317
Johnson, S.C. 207
- Kamerling, J.P. 121
Kerékgyártó, J. 111
Kiesel, B. 277, 283
Kim, K. 13
Kitamura, S. 29
Kizu, H. 235
Kloareg, B. 69
Knirel, Y.A. 101, 277, 283
Kochanowski, H. 323
Kochetkov, N.K. 101
Kozłowski, H. 19
- Lauk, W. 277, 283
Lichtenthaler, F.W. 141
Lipták, A. 111
Livingston III, D.P. 287
- MacLean, L.L. 257
Mancera, M. 307
Matsui, K. 235
Mavridis, I.M. 39
Mayer, H. 101
Mbaïraroua, O. 79
Medaković, D. 299
Mentzafos, D. 39
- Noguchi, K. 29
- Ohno, S. 29
Okuyama, K. 29
- Parolis, H. 247
Parolis, L.A.S. 247
Perry, M.B. 257
Peters, J.A. 1
Potin, P. 69
Pretus, H.A. 293
- Raveendranath, P.C. 207
Ray, A.K. 301

Refn, S. 51
Rochas, C. 69
Rodríguez, E. 307
Roffé, I. 307
Roy, N. 301
Ryu, Y. 13

Schenk, H. 39
Schlecht, S. 101
Shashkov, A.S. 277, 283
Slaughter, L.H. 287
Strayle, J. 167
Szarek, W.A. 195
Szilágyi, L. 111

Takeo, K. 29
Tapiéro, C. 79
Tomioka, E. 235

Ton-That, T. 79
Trnka, T. 19

Van Bekkum, H. 1
Van den Berg, R. 1
Van der Ven, J.G.M. 121
Vinogradov, E.V. 101
Vliegthart, J.F.G. 121
Voges, M. 277, 283

Wei, Y.-a. 329
Whang, D. 13
Whittaker, D.V. 247
Widmalm, G. 317
Wijkman, J.C.H.M. 121
Williams, D.L. 293

Ziegler, T. 151, 167

SUBJECT INDEX

- Acetobacter methanolicus* MB 70, structure of the capsular polysaccharide and the O-side chain of the lipopolysaccharide from, 277
- Acetobacter methanolicus* MB 135 (IMET 11402), structure of the capsular polysaccharide and the O-side-chain of the lipopolysaccharide from, 283
- Affinity chromatography of human serum amyloid P protein, synthesis and use of 5-aminopentyl 4,6-*O*-[(*R*)-1-carboxyethylidene]- β -D-galactopyranoside as a ligand for the, 167
- α -Agarase action on agarose, 69
- Agarose oligomers, NMR investigation, 69
- 2-*C*-Alkyl-2,3-dideoxy- α , β -L-glycero-tetrurono-1,4-lactones, synthesis, and evaluation as antitumor agents, 225
- 3-*C*-Alkyl-(or 3-*C*-phenyl-) 2,3-dideoxy-D-erythro-pentono-1,4-lactones, a synthetic route to, 207
- 5-Aminopentyl 4,6-*O*-[(*R*)-1-carboxyethylidene]- β -D-galactopyranoside, synthesis and use as a ligand for the affinity chromatography of human serum amyloid P protein, 167
- 5-Aminopentyl mono- to tri-saccharide haptens related to the species-specific glycopeptidolipids of *Mycobacterium avium-intracellulare* serovars 8 and 21, synthesis of 5-aminopentyl, 151
- Amino sugars, interaction of copper(II) ions with 1,6-anhydro derivatives of, 19
- 1,6-Anhydro derivatives of amino sugars, interaction with copper(II) ions, 19
- Antigen from *Klebsiella* type 55, synthesis of a tetrasaccharide related to the repeating unit of the, 301
- Azasugars from the leaves of *Morus bombycis*, 235
- Bemisia*, honeydew, bemisiose, an unusual trisaccharide in, 339
- Bemisiose, an unusual trisaccharide in *Bemisia* honeydew, 339
- Benzyl, phenylethyl apiosyl-glucosides, syntheses, 79
- Borate esters of mono- and di-saccharides, structure and (local) stability constants as studied by ^{11}B and ^{13}C NMR spectroscopy, 1
- 1-Bromo-1-nitro-D-galacto(and D-manno)-hept-1-enitols and their 1,3-dipolar cycloaddition reactions with diazoalkanes, preparation of, 307
- Capsular polysaccharide and the O-side-chain of the lipopolysaccharide from *Acetobacter methanolicus* MB 135 (IMET 11402), structure of the, 283
- Capsular K96 polysaccharide (K96 antigen) from *E. coli* O77:K96:H $^{-}$, structure and comparison with the K54 antigen from *E. coli* O6:K54:H10, 323
- 4,6-*O*-[(*R*)-1-Carboxyethylidene]- β -D-galactopyranoside, synthesis of 5-aminopentyl, and its use as a ligand for the affinity chromatography of human serum amyloid P protein, 167
- Citronellyl apiosyl-glucosides, syntheses, 79
- Conformational analysis of (\pm)-1,2:4,5-di-*O*-isopropylidene-*myo*-inositol and (\pm)-1,2:5,6-di-*O*-isopropylidene-*myo*-inositol by crystal structure analysis, 13
- Conformational equilibria of 4-thiomaltose and nitrogen analogues of maltose in aqueous solutions, 51
- Copper(II) ions, interaction with 1,6-anhydro derivatives of amino sugars, 19
- Crystal structure of the 1:1 complex of heptakis(2,3,6-tri-*O*-methyl)cyclomaltoheptaose (permethylated β -cyclodextrin) with ethyl laurate, 39
- Crystal structures of (\pm)-1,2:4,5-di-*O*-isopropylidene-*myo*-inositol and (\pm)-1,2:5,6-di-*O*-isopropylidene-*myo*-inositol, 13

- Cyanides, synthesis and configurational assignment of pyranoid D-frucosyl and L-sorbosyl, 141
- Cycloaddition reactions with diazoalkanes, preparation of 1-bromo-1-nitro-D-galacto- (and D-manno)-hept-1-enitols and their 1,3-dipolar, 307
- Cyclomaltoheptaose, crystal structure of the 1:1 complex of ethyl laurate with heptakis(2,3,6-tri-O-methyl)-, 39
- 3-Deoxy-3-fluoro-D-fructose synthesis by hydroxymethylation of 2-deoxy 2-fluoro-D-arabinono-1,4-lactone, 195
- Escherichia coli* O20:K83:H26, structural elucidation by high resolution NMR spectroscopy of the capsular polysaccharide produced by, 247
- Escherichia coli* O77:K96:H⁻, structure of the capsular K96 polysaccharide (K96 antigen) and comparison with the K54 antigen from *E. coli* O6:K54:H10, 323
- Ethyl laurate, crystal structure of the 1:1 complex of heptakis(2,3,6-tri-O-methyl)cyclomaltoheptaose (permethylated β -cyclodextrin) with, 39
- Fructan isomers, separation by high performance anion exchange chromatography, 287
- D-Fructosyl and L-sorbosyl cyanides, synthesis and configurational assignment of pyranoid, 141
- 2(3H)-Furanones intermediates, synthesis of, 207
- Geranyl apiosyl-glucosides, syntheses, 79
- β -D-Glucan linkages, a *Phanerochaete chrysosporium* β -D-glucosidase/ β -D-xylosidase with specificity for (1 \rightarrow 3)-, 265
- (1 \rightarrow 3)- β -D-Glucan, yeast-derived, molecular weight analysis of a water-insoluble, by organic-phase size-exclusion chromatography, 293
- 2-S- α -D-Glucopyranosyl- and 2-S- β -D-glucopyranosyl-2-thio-D-glucopyranose, a convenient synthesis of, 185
- β -D-Glucosidase/ β -D-xylosidase with specificity for (1 \rightarrow 3)- β -D-glucan linkages, from *Phanerochaete chrysosporium*, 265
- Glycopeptidolipid from *Mycobacterium avium* serovariant 8, pyruvic acid-containing trisaccharide unit of the species-specific, chemical synthesis, 111
- Glycopeptidolipids of *Mycobacterium avium-intracellulare* serovars 8 and 21, synthesis of 5-aminopentyl mono- to tri-saccharide haptens related to the species-specific, 151
- Hept-1-enitols and their 1,3-dipolar cycloaddition reactions with diazoalkanes, preparation of 1-bromo-1-nitro-D-galacto (and D-manno)-, 307
- High performance anion exchange chromatography, separation of fructan isomers by, 287
- Honeydew, bemisiose, an unusual trisaccharide in *Bemisia*, 339
- Hydroxymethylation of aldonolactones and a chemical synthesis of 3-deoxy-3-fluoro-D-fructose, 195
- β -L-Idopyranuronate, methyl 1,2,3,4-tetra-O-acetyl-, efficient synthesis, 299
- myo-Inositol, crystal structures and conformational analysis of (\pm)-1,2:4,5- and (\pm)-1,2:5,6-di-O-isopropylidene-, 13
- Ketohexoses synthesis from pentonolactones, 195
- Ketoses synthesis from aldonolactones, 195
- Klebsiella pneumoniae* ATCC 316 46, structure of the polysaccharide S-156 elaborated by, 317
- Klebsiella* type 55, synthesis of a tetrasaccharide related to the repeating unit of the antigen from, 301
- Kojibiose and 2-thiosophorose, a convenient synthesis for 2-thio-, 185
- K96 polysaccharide (K96 antigen) from *E. coli* O77:K96:H⁻, structure of the capsular, and comparison with the K54 antigen from *E. coli* O6:K54:H10, 323
- α -Laminarabioside, methyl hepta-O-acetyl-, molecular and crystal structure of, 29
- Lipopolysaccharide from *Acetobacter methanolicus* MB 70, structure of the capsular polysaccharide and the O-side chain of the, 277
- Lipopolysaccharide from *Acetobacter methanolicus* MB 135 (IMET 11402), structure of the capsular polysaccharide and the O-side-chain of the, 283
- Methyl 1,2,3,4-tetra-O-acetyl- β -L-idopyranuronate, efficient synthesis, 299
- 3-O-Methyl-D-mannose, synthesis of tetrasaccharides containing, as model compounds for xylose-containing carbohydrate chains from N-glycoproteins, 121

- Molecular weight analysis of a water-insoluble, yeast-derived (1 → 3)- β -D-glucan by organic-phase size-exclusion chromatography, 293
- Mono- to tri-saccharide haptens related to the species-specific glycopeptidolipids of *Mycobacterium avium-intracellulare* serovars 8 and 21, synthesis of 5-aminopentyl, 151
- Mono- and di-saccharides, structure and (local) stability constants of borate esters as studied by ^{11}B and ^{13}C NMR spectroscopy, 1
- Morus bombycis*, azasugars from the leaves of, 235
- Mycobacterium avium* serovariant 8, pyruvic acid-containing trisaccharide unit of the species-specific, chemical synthesis, glycopeptidolipid from, 111
- Neryl apiosyl-glucosides, syntheses, 79
- Nitrogen analogues and 4-thiomaltose, conformational equilibria in aqueous solution, 51
- NMR spectroscopic investigation of agarose oligomers produced by an α -agarase, 69
- Oligosaccharides resulting from bacteriophage degradation of the capsular polysaccharide and the O-side chain of the lipopolysaccharide from *Acetobacter methanolicus* MB 70, 277
- Phanerochaete chrysosporium* β -D-glucosidase/ β -D-xylosidase with specificity for (1 → 3)- β -D-glucan linkages, 265
- Polysaccharide K96 (K96 antigen) from *E. coli* O77:K96:H⁻, structure of the capsular, and comparison with the K54 antigen from *E. coli* O6:K54:H10, 323
- Polysaccharide S-156 elaborated by *Klebsiella pneumoniae* ATCC 316 46, structure of the, 317
- Polysaccharide of *Salmonella arizonae* O62, structure of the O-specific, 101
- Polysaccharide produced by *E. coli* O20:K83:H26, structural elucidation by high resolution NMR spectroscopy of the capsular, 247
- Polysaccharide produced by *Proteus vulgaris* (ATCC 49990), the structure of the, 257
- Proteus vulgaris* (ATCC 49990), the structure of the polysaccharide produced by, 257
- Pyranoid D-fructosyl and L-sorboseyl cyanides, synthesis and configurational assignment of, 141
- Pyruvic acid-containing trisaccharide unit of the species-specific glycopeptidolipid from *Mycobacterium avium* serovariant 8, chemical synthesis, 111
- Salmonella arizonae* O62, structure of the O-specific polysaccharide of, 101
- Structural elucidation of the capsular polysaccharide expressed by *E. coli* O20:K83:H26 by high resolution NMR spectroscopy, 247
- Structure and (local) stability constants of borate esters of mono- and di-saccharides as studied by ^{11}B and ^{13}C NMR spectroscopy, 1
- Structure of oligosaccharides produced by the action of an α -agarase on agarose, 69
- Structure of the polysaccharide S-156 elaborated by *Klebsiella pneumoniae* ATCC 316 46, 317
- Structure of the O-specific polysaccharide of *Salmonella arizonae* O62, 101
- Structure, molecular and crystal, of methyl hepta-O-acetyl- α -laminarabioside, 29
- Synthesis of some 2-C-alkyl-2,3-dideoxy- α , β -L-glycero-tetrurono-1,4-lactones. Evaluation as antitumor agents, 225
- Synthetic route to 3-C-alkyl-(or 3-C-phenyl) 1,3-dideoxy-D-erythro-pentono-1,4-lactones: intermediates in the synthesis of 2(3H)-furanoses, 207
- Terpineyl apiosyl-glucosides, syntheses, 79
- Tetrasaccharide related to the repeating unit of the antigen from *Klebsiella* type 55, synthesis of a, 301
- Tetrasaccharides containing 3-O-methyl-D-mannose, synthesis as model compounds for xylose-containing carbohydrate chains from N-glycoproteins, 121
- Tetrurono-1,4-lactones, synthesis, and evaluation as antitumor agents, 225
- 2-Thiokojibiose and 2-thiosophorose, a convenient synthesis for, 185
- 4-Thiomaltose and nitrogen analogues of maltose, conformational equilibria in aqueous solution, 51
- Trisaccharide in *Bemisia* honeydew, bemisiose, an unusual, 339
- Trisaccharide unit of the species-specific glycopeptidolipid from *Mycobacterium avium* serovariant 8, chemical synthesis of the pyruvic acid-containing, 111
- Wine aroma precursors, 79
- Xylose-containing carbohydrate chains from N-glycoproteins, synthesis of tetrasaccharides containing 3-O-methyl-D-mannose as model compounds, 121

